

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	60499	(382/100,190,199,201).CCLS. or (("348") or ("351")) .CLAS.	USPAT	2004/06/18 20:03	
2	BRS	L2	26636	1 and detect\$4	USPAT	2004/06/18 20:03	
3	BRS	L3	6896	2 and parameter\$4	USPAT	2004/06/18 20:04	
4	BRS	L4	6106	3 and (calculat\$4 or comput\$4 or measur\$6)	USPAT	2004/06/18 20:04	
5	BRS	L5	2475	4 and extract\$5	USPAT	2004/06/18 20:15	
6	BRS	L6	810	5 and target\$4	USPAT	2004/06/18 20:04	
7	BRS	L7	744	6 and stor\$4	USPAT	2004/06/18 20:05	
8	BRS	L8	696	7 and (photograph\$4 or pictur\$4 or featur\$4)	USPAT	2004/06/18 20:06	
9	BRS	L9	628	8 and (camera\$4 or video\$4 or CCD)	USPAT	2004/06/18 20:06	
10	BRS	L10	607	9 and imag\$4	USPAT	2004/06/18 20:06	
11	BRS	L11	334	10 and intensit\$4	USPAT	2004/06/18 20:07	
12	BRS	L12	58	11 and templat\$4	USPAT	2004/06/18 20:07	
13	BRS	L13	17	12 and narrow\$4	USPAT	2004/06/18 20:07	
14	BRS	L14	10	13 and color\$4	USPAT	2004/06/18 20:07	
15	BRS	L15	10	14 and match\$4	USPAT	2004/06/18 20:09	
16	BRS	L16	40697	specifi\$4 near4 point\$4	USPAT	2004/06/18 20:10	
17	BRS	L17	1247	((detect\$4 or scan\$4) near4 (specifi\$4 near4 point\$4))	USPAT	2004/06/18 20:10	
18	BRS	L18	31	4 and 17	USPAT	2004/06/18 20:10	
19	BRS	L19	14	18 and ((detect\$4 or scan\$4) near4 (parameter\$4))	USPAT	2004/06/18 20:12	
20	BRS	L20	1076	16 and ((detect\$4 or scan\$4) near4 (parameter\$4))	USPAT	2004/06/18 20:13	
21	BRS	L21	458	20 and updat\$4	USPAT	2004/06/18 20:13	
22	BRS	L22	133	21 and (detect\$4 near4 position\$4)	USPAT	2004/06/18 20:13	
23	BRS	L23	12	22 and (target\$4 near3 imag\$4)	USPAT	2004/06/18 20:14	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	1417 6	((detect\$6) near4 (specific\$4 adj "2" points))	USPAT	2004/02 /23 15:00			0
2	BRS	L2	117	((detect\$6) near4 (specific\$4 adj2 points))	USPAT	2004/02 /23 13:27			0
3	BRS	L3	7	2 and (detect\$4 near4 parameter\$4)	USPAT	2004/02 /23 15:00			0
4	BRS	L4	0	3 and (target\$4 near4 image)	USPAT	2004/02 /23 15:01			0
5	BRS	L6	0	5 and imag\$4	USPAT	2004/02 /23 13:29			0
6	BRS	L5	2	3 and (target\$4)	USPAT	2004/02 /23 13:28			0
7	BRS	L7	2	3 and imag\$4	USPAT	2004/02 /23 13:30			0
8	BRS	L8	872	1 and (detect\$4 near4 parameter\$4)	USPAT	2004/02 /23 13:29			0
9	BRS	L9	71	((detect\$6) near4 (specific\$4 adj points))	USPAT	2004/02 /23 13:30			0
10	BRS	L10	7	9 and (detect\$4 near4 parameter\$4)	USPAT	2004/02 /23 13:30			0
11	BRS	L11	0	10 and (target\$4 near4 image)	USPAT	2004/02 /23 13:30			0
12	BRS	L12	2	10 and imag\$4	USPAT	2004/02 /23 13:31			0
13	BRS	L13	184	((detect\$6) near4 (specific\$4 near4 points))	USPAT	2004/02 /23 13:31			0
14	BRS	L14	16	13 and (detect\$4 near4 parameter\$4)	USPAT	2004/02 /23 13:31			0
15	BRS	L15	2	14 and (target\$4 near4 image)	USPAT	2004/02 /23 13:35			0
16	BRS	L16	2	15 and (detect\$4 near4 position\$4)	USPAT	2004/02 /23 13:35			0
17	BRS	L18	2	16 and (detect\$5 near4 point\$4)	USPAT	2004/02 /23 13:36			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
33	BRS	L33	9	32 and defocus\$4	USPAT	2004/03/12 10:44			0
34	BRS	L34	55	28 and defocus\$4	USPAT	2004/03/12 10:44			0
35	BRS	L35	43	34 and improv\$4	USPAT	2004/03/12 10:44			0
36	BRS	L36	39	35 and compar\$4	USPAT	2004/03/12 10:45			0

Day : Friday
 Date: 6/18/2004
 Time: 19:54:22


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = SATOH

First Name = KIYOHIDE

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>10752487</u>	Not Issued	020	01/08/2004	POSITION/ORIENTATION MEASUREMENT METHOD, AND POSITION/ORIENTATION MEASUREMENT APPARATUS	SATOH, KIYOHIDE
<u>10670285</u>	Not Issued	030	09/26/2003	INFORMATION PROCESSING METHOD AND INFORMATION PROCESSING APPARATUS	SATOH, KIYOHIDE
<u>10660637</u>	Not Issued	030	09/12/2003	IMAGE DISPLAY APPARATUS, IMAGE DISPLAY METHOD, MEASUREMENT APPARATUS, MEASUREMENT METHOD, INFORMATION PROCESSING METHOD, INFORMATION PROCESSING APPARATUS, AND IDENTIFICATION METHOD	SATOH, KIYOHIDE
<u>10644829</u>	Not Issued	030	08/21/2003	IMAGE PROCESSING DEVICE AND METHOD THEREFOR AND PROGRAM CODES, STORING MEDIUM	SATOH, KIYOHIDE
<u>10390739</u>	Not Issued	093	03/19/2003	SENSOR CALIBRATION APPARATUS, SENSOR CALIBRATION METHOD, PROGRAM, STORAGE MEDIUM, INFORMATION PROCESSING METHOD, AND INFORMATION PROCESSING APPARATUS	SATOH, KIYOHIDE
<u>10351326</u>	Not Issued	030	01/27/2003	POSITION AND ORIENTATION DETERMINATION METHOD AND APPARATUS AND STORAGE MEDIUM	SATOH, KIYOHIDE
<u>10278947</u>	Not Issued	030	10/24/2002	IMAGE DISPLAY APPARATUS, METHOD AND RECORDING MEDIUM	SATOH, KIYOHIDE

<u>10274200</u>	Not Issued	041	10/21/2002	IMAGE DISPLAY APPARATUS AND METHOD, AND STORAGE MEDIUM	SATOH, KIYOHIDE
<u>09818602</u>	Not Issued	041	03/28/2001	POSITION AND ORIENTATION DETERMINING METHOD AND APPARATUS AND STORAGE MEDIUM	SATOH, KIYOHIDE
<u>09818600</u>	Not Issued	092	03/28/2001	INFORMATION PROCESSING APPARATUS, MIXED REALITY PRESENTATION APPARATUS, METHOD THEREOF, AND STORAGE MEDIUM	SATOH, KIYOHIDE
<u>09817037</u>	Not Issued	030	03/27/2001	SPECIFIC POINT DETECTING METHOD AND DEVICE	SATOH, KIYOHIDE
<u>09816072</u>	<u>6633304</u>	150	03/26/2001	MIXED REALITY PRESENTATION APPARATUS AND CONTROL METHOD THEREOF	SATOH, KIYOHIDE
<u>09658463</u>	Not Issued	083	09/08/2000	AUGMENTED REALITY PRESENTATION APPARATUS AND METHOD, AND STORAGE MEDIUM	SATOH, KIYOHIDE
<u>09654774</u>	Not Issued	168	09/05/2000	AUGMENTED REALITY PRESENTATION SYSTEM, HEAD-MOUNTED DISPLAY DEVICE, CONTROL METHOD FOR HEAD-MOUNTED DISPLAY DEVICE, AND IMAGE GENERATION METHOD FOR HEAD-MOUNTED DISPLAY DEVICE	SATOH, KIYOHIDE
<u>09648295</u>	Not Issued	161	08/28/2000	DEPTH INFORMATION MEASUREMENT APPARATUS AND MIXED REALITY PRESENTATION SYSTEM	SATOH, KIYOHIDE
<u>09506084</u>	Not Issued	071	02/17/2000	GAME APPARATUS FOR MIXED REALITY SPACE, IMAGE PROCESSING METHOD THEREOF, AND PROGRAM STORAGE MEDIUM	SATOH, KIYOHIDE

Inventor Search Completed: No Records to Display.

Search Another:

Inventor

Last Name

Satoh


First Name

Kiyohide

Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page



Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

 Print Format

Your search matched **46** of **1045422** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

Check to search within this result set

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

1 Imaging below the diffraction limit: a statistical analysis

Shahram, M.; Milanfar, P.;

Image Processing, IEEE Transactions on , Volume: 13 , Issue: 5 , May 2004
Pages:677 - 689

[Abstract] [\[PDF Full-Text \(368 KB\)\]](#) IEEE JNL

2 Adaptive alpha-trimmed mean filters under deviations from assumed noise model

Oten, R.; de Figueiredo, R.J.P.;

Image Processing, IEEE Transactions on , Volume: 13 , Issue: 5 , May 2004
Pages:627 - 639

[Abstract] [\[PDF Full-Text \(1080 KB\)\]](#) IEEE JNL

3 The Influence of Four Types of Symbol Synchronizers on the Error Probability of a PAM Receiver

Moeneclaey, M.;

Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 32 , Is 11 , Nov 1984
Pages:1186 - 1190

[Abstract] [\[PDF Full-Text \(408 KB\)\]](#) IEEE JNL

4 A radar detection philosophy

Siebert, W.;

Information Theory, IEEE Transactions on , Volume: 2 , Issue: 3 , Sep 1956
Pages:204 - 221

[Abstract] [\[PDF Full-Text \(2448 KB\)\]](#) IEEE JNL

5 Discrimination of shot-noise-driven poisson processes by external c time: Application to radioluminescence from glass

Saleh, B.; Tavolacci, J.; Teich, M.;

Quantum Electronics, IEEE Journal of , Volume: 17 , Issue: 12 , Dec 1981

Pages:2341 - 2350

[\[Abstract\]](#) [\[PDF Full-Text \(3624 KB\)\]](#) [IEEE JNL](#)

6 Combining low-, high-level and empirical domain knowledge for automated segmentation of ultrasonic breast lesions

Madabhushi, A.; Metaxas, D.N.;

Medical Imaging, IEEE Transactions on , Volume: 22 , Issue: 2 , Feb. 2003

Pages:155 - 169

[\[Abstract\]](#) [\[PDF Full-Text \(1080 KB\)\]](#) [IEEE JNL](#)

7 Sequential testing of sorted and transformed data as an efficient way to implement long GLRTs

Marano, S.; Willett, P.; Matta, V.;

Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Sig

Processing, IEEE Transactions on] , Volume: 51 , Issue: 2 , Feb. 2003

Pages:325 - 337

[\[Abstract\]](#) [\[PDF Full-Text \(762 KB\)\]](#) [IEEE JNL](#)

8 High-accuracy magnetic position encoder concept

Lequesne, B.; Schroeder, T.;

Industry Applications, IEEE Transactions on , Volume: 35 , Issue: 3 , May-June 1999

Pages:568 - 576

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) [IEEE JNL](#)

9 Comparison of different imaging geometries of brain SPECT system:

Liu, J.; Chang, W.; Loncaric, S.;

Nuclear Science, IEEE Transactions on , Volume: 42 , Issue: 4 , Aug 1995

Pages:1147 - 1153

[\[Abstract\]](#) [\[PDF Full-Text \(704 KB\)\]](#) [IEEE JNL](#)

10 Implementations of learning control systems using neural network

Sartori, M.A.; Antsaklis, P.J.;

Control Systems Magazine, IEEE , Volume: 12 , Issue: 2 , April 1992

Pages:49 - 57

[\[Abstract\]](#) [\[PDF Full-Text \(780 KB\)\]](#) [IEEE JNL](#)

11 Note on 'The calculation of the probability of detection and the generalized Marcum Q-function'

Shnidman, D.A.;

Information Theory, IEEE Transactions on , Volume: 37 , Issue: 4 , July 1991

Pages:1233

[Abstract] [PDF Full-Text (88 KB)] IEEE JNL

12 Efficient technique for circle detection using hypothesis filtering and Hough transform

Lam, W.C.Y.; Yuen, S.Y.;

Vision, Image and Signal Processing, IEE Proceedings- , Volume: 143 , Issue: 5 , Oct. 1996

Pages:292 - 300

[Abstract] [PDF Full-Text (1000 KB)] IEE JNL

13 Two-dimensional pattern analysis and classification using a complex orthogonal estimation algorithm

Tsang, K.M.; Billings, S.A.;

Vision, Image and Signal Processing, IEE Proceedings- , Volume: 141 , Issue: 5 , Oct. 1994

Pages:339 - 347

[Abstract] [PDF Full-Text (540 KB)] IEEE JNL

14 Jumping snakes and parametric model for lip segmentation

Eveno, N.; Caplier, A.; Coulon, P.-Y.;

Image Processing, 2003. Proceedings. 2003 International Conference on , Vol 2 , 14-17 Sept. 2003

Pages:II - 867-70 vol.3

[Abstract] [PDF Full-Text (511 KB)] IEEE CNF

15 Towards direct recovery of shape and motion parameters from image sequences

Benoit, S.; Ferrie, F.P.;

Computer Vision, 2003. Proceedings. Ninth IEEE International Conference on 16 Oct. 2003

Pages:1395 - 1402 vol.2

[Abstract] [PDF Full-Text (642 KB)] IEEE CNF

[1](#) [2](#) [3](#) [4](#) [Next](#)